




# **RIVER HABITAT SURVEY 1994 - PREPARATION OF DISTRIBUTION MAPS**

**P Henville  
F H Dawson**

Report To:  
TFS Report No.:  
IFE Report Ref. No:

National Rivers Authority  
T04073f1  
RL/T04073f1/3



River Laboratory  
East Stoke  
WAREHAM Dorset  
BH20 6BB

Tel: 0929 462314  
Fax: 0929 462180

# **RIVER HABITAT SURVEY 1994 - PREPARATION OF DISTRIBUTION MAPS**

**P Henville, F H Dawson PhD MIWEM CBiol FIBiol**

|                     |                           |
|---------------------|---------------------------|
| Project Leader:     | F H Dawson                |
| Report Date:        | August 1994               |
| Report To:          | National Rivers Authority |
| TFS Project No:     | T04073f1                  |
| IFE Report Ref. No: | RL/T04073f1/3             |

## **INTELLECTUAL PROPERTY RIGHTS**


### **CONFIDENTIALITY STATEMENT**

*'In accordance with our normal practice, this report is for the use only of the party to whom it is addressed, and no responsibility is accepted to any third party for the whole or any part of its contents. Neither the whole nor any part of this report or any reference thereto may be included in any published document, circular or statement, nor published or referred to in any way without our written approval of the form and context in which it may appear.'*


## CONTENTS

- Appendix A 1a. Location of all sites, NRA River Habitat Sites (○), IFE macroinvertebrate (•, ▲), EN 'Holmes' plants distribution (◻) and IFE Biomorphopacs (■) in Britain (combined overlays).
- Appendix A 1a. Location of NRA River Habitat Survey Sites 1993 (○) trials in England & Wales.
- Appendix A 1a. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Britain.
- Appendix A 1a. Location of IFE Biomorphopacs sites (■) in Britain.
- Appendix A 1a. Location of EN 'Holmes' plants distribution sites (◻) in Britain.
- Appendix A 1b. Location of all sites, NRA River Habitat Sites (+), IFE macroinvertebrate (•, ▲), EN 'Holmes' plants distribution (◻) and IFE Biomorphopacs (■) in Central & South Eastern England (combined overlays).
- Appendix A 1b. Location of NRA River Habitat Survey Sites (+) in Central & South Eastern England.
- Appendix A 1b. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Central & South Eastern England.
- Appendix A 1b. Location of IFE Biomorphopacs sites (■) in Central & South Eastern England.
- Appendix A 1b. Location of EN 'Holmes' plants distribution sites (◻) in Central & South Eastern England.
- Appendix A 1c. Location of all sites, NRA River Habitat Sites (+), IFE macroinvertebrate (•, ▲), EN 'Holmes' plants distribution (◻) and IFE Biomorphopacs (■) in Wales & South Western England (combined overlays).
- Appendix A 1c. Location of NRA River Habitat Survey Sites (+) in Wales & South Western England.
- Appendix A 1c. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Wales & South Western England.
- Appendix A 1c. Location of IFE Biomorphopacs sites (■) in Wales & South Western England.


- Appendix A 1c. Location of EN 'Holmes' plants distribution sites (▣) in Wales & South Western England.
- Appendix A 1d. Location of all sites, NRA River Habitat Sites (+), IFE macroinvertebrate (•, ▲), EN 'Holmes' plants distribution (▣) and IFE Biomorphopacs (■) in Northern England and Southern Scotland (combined overlays).
- Appendix A 1d. Location of NRA River Habitat Survey Sites (+) in Northern England and Southern Scotland.
- Appendix A 1d. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Northern England and Southern Scotland.
- Appendix A 1d. Location of IFE Biomorphopacs sites (■) in Northern England and Southern Scotland.
- Appendix A 1d. Location of EN 'Holmes' plants distribution sites (▣) in Northern England and Southern Scotland.



Appendix A 1a. Location of all sites, NRA River Habitat Sites (○), IFE macroinvertebrate (•, Δ), EN 'Holmes' plants distribution (◻) and IFE Biomorphopacs (◼) in Britain (combined overlays).




Appendix A 1a. Location of NRA River Habitat Survey Sites 1993 (○) trials in England & Wales.




Appendix A 1a. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Britain.






Appendix A 1a. Location of IFE Biomorphopacs sites (■) in Britain.




Appendix A 1a. Location of EN 'Holmes' plants distribution sites (□) in Britain.




Appendix A 1b. Location of all sites, NRA River Habitat Sites (+), IFE macroinvertebrate (•, Δ), EN 'Holmes' plants distribution (◻) and IFE Biomorphopacs (■) in Central & South Eastern England (combined overlays).




Appendix A 1b. Location of NRA River Habitat Survey Sites (+) in Central & South Eastern England.




Appendix A 1b. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Central & South Eastern England.



Appendix A 1b. Location of IFE Biomorphopacs sites (■) in Central & South Eastern England.




Appendix A 1b. Location of EN 'Holmes' plants distribution sites (□) in Central & South Eastern England.




Appendix A 1c. Location of all sites, NRA River Habitat Sites (+), IFE macroinvertebrate (•, Δ), EN 'Holmes' plants distribution (◻) and IFE Biomorphopacs (■) in Wales & South Western England (combined overlays).







Appendix A 1c. Location of NRA River Habitat Survey Sites (+) in Wales & South Western England.




Appendix A 1c. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Wales & South Western England.




Appendix A 1c. Location of IFE Biomorphopacs sites (■) in Wales & South Western England.




Appendix A 1c. Location of EN 'Holmes' plants distribution sites (□) in Wales & South Western England.




Appendix A 1d. Location of all sites, NRA River Habitat Sites (+), IFE macroinvertebrate (•, Δ), EN 'Holmes' plants distribution (▣) and IFE Biomorphopacs (■) in Northern England and Southern Scotland (combined overlays).



Appendix A 1d. Location of NRA River Habitat Survey Sites (+) in Northern England and Southern Scotland.




Appendix A 1d. Location of IFE macroinvertebrate sites (including RIVPACS) and headwaters, top quality 80-100% (•), good quality (▲), in Northern England and Southern Scotland.



Appendix A 1d. Location of IFE Biomorphopacs sites (■) in Northern England and Southern Scotland.





Appendix A 1d. Location of EN 'Holmes' plants distribution sites (•) in Northern England and Southern Scotland.

# Major Soil Groups of England and Wales (1:250,000)

Map based on the dominant major soil group in each 5km square.

Produced by SSLRC.



## Key


- Raw gley soils
- Lithomorphic soils
- Pelosols
- Brown soils
- Podzolic soils
- Surface-water gleys

- Ground-water gleys
- Man-made soils
- Peat soils
- Lakes/sea
- Scotland
- Unsurveyed/Urban

# Soil Map of England and Wales (1:250,000)

Map based on the  
dominant soil group  
in each 5km square.

Produced by SSLRC.



## Key

|                              |                                 |                           |            |
|------------------------------|---------------------------------|---------------------------|------------|
| Unripened gley soils         | Brown calcareous alluvial soils | Alluvial gley soils       | Unsurveyed |
| Rankers                      | Brown earths                    | Sandy gley soils          |            |
| Rendzinas                    | Brown sands                     | Cambic gley soils         |            |
| Sand-pararendzinas           | Brown alluvial soils            | Argillic gley soils       |            |
| Rendzina-like alluvial soils | Argillic brown earths           | Humic-alluvial gley soils |            |
| Calcareous pelosols          | Paleo-argillic brown earths     | Humic-sandy gley soils    |            |
| Non-calcareous pelosols      | Brown podzolic soils            | Humic gley soils          |            |
| Argillic pelosols            | Podzols                         | Disturbed soils           |            |
| Brown calcareous earths      | Gley podzols                    | Raw peat soils            |            |
| Brown calcareous sands       | Stagnopodzols                   | Earthy peat soils         |            |
|                              | Stagnogley soils                | Lake/Sea                  |            |
|                              | Stagnohumic gley soils          | Scotland                  |            |

